



F SERIES

AUTOMATIC CARPET WASHING MACHINE

SPECIFICATIONS


- First brushing unit (with 4 or 5 brushes depending on the size)
- Second brushing unit (with 4 or 5 brushes depending on the size)
- High pressure rinsing unit
- Vacuum unit
- Upper combing brush
- Down combing brush
- Rolling unit
- Stainless steel and hot-dipped galvanized chassis
- Ability to wash all types of carpets
- Speed control operating system
- Fragmental conveyor belt system that prevents belt stall
- PLC control system that provides detergent, electricity and water conservation
- Touch screen panel control
- Automatic detergent and water pump system
- Pneumatic brush pressure system





F SERIES


AUTOMATIC CARPET WASHING MACHINE



F SERIES

AUTOMATIC CARPET WASHING MACHINE

- 1 FIRST BRUSHING UNIT
- 2 SECOND BRUSHING UNIT
- 3 HIGH PRESSURE RINSING UNIT
- 4 VACUUM UNIT
- 5 UPPER COMBING BRUSH
- 6 DOWN COMBING BRUSH
- 7 ROLLING SYSTEM





F SERIES

AUTOMATIC CARPET WASHING MACHINE



SPECIFICATIONS	HYM 288-F	HYM 338-F	HYM 4310-F
Max. Carpet Width	260 cm	320 cm	420 cm
Dimensions	380x410x240 cm	430x410x240 cm	530x410x240 cm
Weight	3000 kg	3500 kg	4600 kg
Washing Capacity	150 m ² /h	180 m ² /h	240 m ² /h
Number of Brushes	8 disc + 2 combing brushes	8 disc + 2 combing brushes	10 disc + 2 combing brushes
Engine Power	16,5 kW	18 kW	20 kW
Electricity	3 phase / 380 V / 50 Hz		
Touch Control Panel		✓	
Speed Control		✓	
Electronic Sensor System		✓	
Detergent Tank		✓	
Automatic Detergent Pump System		✓	
Carpet Trolley		✓	
Rolling System		✓	

WATCH MACHINE VIDEO

